

HYOSCINE BUTYLBROMIDE

hye-oh-seen bew-til-bro-mide

What does it do?

Hyoscine butylbromide is used to treat and prevent stomach cramps.

Before you start

- Tell your doctor if you have liver, bowel, prostate or bladder problems, or if you have angle-closure glaucoma.
- Tell your doctor if you are pregnant, planning to become pregnant, or breastfeeding.

How should you take it?

Take hyoscine butylbromide as directed with a glass of water.

What if you forget a dose?

Should an occasional dose be missed it need not be taken later.

Can you take other medicines?

Some medicines available without a prescription may react with *hyoscine butylbromide* including:

• some antihistamines (may be in anti-allergy, anti-nausea and cough/cold medicines)

Tell your pharmacist or doctor about <u>all medicines or treatments</u> that you may be taking, including vitamins, herbal products or recreational drugs.

What side effects might you notice?

Side Effects	Recommended action
Fast or irregular heartbeat	Tell your doctor immediately
Confusion	Tell your doctor
Dry mouth, blurred vision, constipation or trouble peeing (anticholinergic effects) Dizziness Flushing	Tell your doctor if troublesome

If you notice any other effects, discuss them with your doctor or pharmacist.

Other information:

Hyoscine butylbromide can impair your ability to do tasks such as driving or using machines.
 Alcohol makes this worse. Discuss your risk with your health professional. (search NZTA - Are you safe to drive?)